

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL - Mapei Latexplan No Ammonia / Part B	Date of Assessment : 26/09/2022	Reference : CPL - Mapei Latexplan No Ammonia / Part B
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL) No WEL stated on Safety Data Sheet	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of Low volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. First aid measures n case of skin contact: Wash with plenty of water and soap. In case of eyes contact: Wash immediately with water
2. In case of Ingestion: Do not induce vomiting, get medical attention showing the SDS and the hazard label. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest.
3. Extinguishing media Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular
4. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases
5. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety
6. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Limit leakages with earth or sand.
7. Methods and material for containment and cleaning up Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it
8. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed
9. Instructions as regards storage premises: Adequately ventilated premises
10. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopte for normal use.

11. Protection for hands: Suitable materials for safety gloves; EN ISO 374:
12. Respiratory protection: Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.
13. Always use in a well ventilated area
14. Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
15. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Do not dispose of waste into sewers. Clean waste packaging should be recycled when possible and authorized by the authority
16. Do not allow to enter drains or watercourses. Dispose of product according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.
17. Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority
18. Special precautions: This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.
19. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.
20. Hazardous waste: No Always take empty containers back to the relevant region and dispose of in drum B

Documents Associated with this Risk Assessment : Mapei Latexplan no ammonia part B.pdf(Safety Data Sheet) Re_ Waste disposal drum code.msg(Safety Data Sheet)

Review Date : 26/09/2023