

## HAZARDOUS SUBSTANCES RISK ASSESSMENT

### Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

<b>CPL Stopgap 1200 Pro (Fball) Part B</b>	<b>Date of Assessment :</b> 24/05/2023	<b>Reference :</b> CPL Stopgap 1200 Pro (Fball) Part B
<b>Risk Assessor :</b> Laura Cross	<b>Risk Assessor :</b>	
<b>Other People Involved in Making This Assessment :</b> Antony Maidens		

<b>R or H Descriptors:</b>	<b>S or P Descriptors:</b>
<b>Additional Information</b>	
<b>Workspace Exposure Limit (WEL)</b> No WEL stated on Safety Data Sheet	

<b>Primary route(s) of entry :</b> Absorption, Ingestion, Inhalation	
<b>This is a Group Substance.</b>	<b>The quantity used per batch or work period is:</b> Medium (1-1000kg or 1-1000L)
<b>The Substance is a Liquid of Low volatility</b>	
<b>is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.</b>	

<b>Existing Control Measures</b>
1. First aid measures: General information Treat symptomatically. Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues.
2. Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing. Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
3. General information The product is considered to be a low hazard under normal conditions of use
4. Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5. Hazardous combustion products Does not decompose when used and stored as recommended.
6. Personal precautions Wear protective gloves, eye and face protection
7. Environmental precautions Do not discharge into drains or watercourses or onto the ground.
8. Methods for cleaning up Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely
9. ALWAYS USE IN A WELL VENTILATED AREA Usage precautions Provide adequate ventilation. Good personal hygiene procedures should be implemented.
10. Advice on general occupational hygiene Wash at the end of each work shift and before eating, smoking and using the toilet.

11. Storage precautions Protect from freezing and direct sunlight. Keep away from food, drink and animal feeding stuffs. Store in tightly-closed, original container.

12. Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Hand protection  
Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

13. Conditions to avoid Avoid freezing. Avoid exposure to high temperatures or direct sunlight.

14. Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of waste product or used containers in accordance with local regulations Waste code 16 03 03 \* All empty packaging must be returned to region and disposed of in Drum B

**Documents Associated with this Risk Assessment :**

**Review Date :** 09/06/2024