

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL - Stopgap 300 HD FBall	Date of Assessment : 24/05/2023	Reference : CPL - Stopgap 300 HD FBall
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL) 8hr WEL; : WEL 10 total dust; 4 respirable dust mg/m ³	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Solid of High dustiness	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Always use in a well ventilated area.
2. First aid measures: Inhalation Fresh air. Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues.
3. Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing. Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4. Firefighting measures: Dust may form explosive mixture with air. The product is non-combustible. No specific firefighting precautions known. Wear chemical protective suit.
5. Accidental release measures: Avoid inhalation of dust. Avoid contact with skin and eyes. Do not discharge into drains or watercourses or onto the ground. Avoid generation and spreading of dust. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar.
6. Avoid handling which leads to dust formation. Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product.
7. Keep away from food, drink and animal feeding stuffs. Keep container dry.
8. PPE: Personal protective equipment for eye and face protection should comply with European Standard EN166. Dust-resistant, chemical splash goggles
9. PPE: Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Other skin and body protection Wear appropriate clothing to prevent repeated or prolonged skin contact.

10. Hygiene measures Provide eyewash station. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

11. Protect from freezing and direct sunlight.

12. Dispose waste to licensed waste disposal site in accordance with the req of the local Waste Disposal Authority. Small quantities be absorbed in sand and allowed to dry, prior to disposal as low haz waste. Lgr quantities disposed of as controlled liquid waste via a licensed waste operator.

13. Waste code 16 03 03 Take all empty packaging back to region and dispose of in Drum B

Documents Associated with this Risk Assessment : Stopgap-300-iss-5.pdf(SDS) Stopgap 300 HD FBall SDS.pdf(Safety Data Sheet)

Review Date : 07/06/2024