

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL - Styccobond F48	Date of Assessment : 24/05/2023	Reference : CPL - Styccobond F48
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL) No WEL stated on Safety Data Sheet	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of Low volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Always use in a well ventilated area.
2. First Aid Measures- General information Treat symptomatically, Inhalation - breath in fresh air, Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues.
3. Eye contact - rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4. Firefighting measures - The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. No unusual fire or explosion hazards noted. Does not decompose when used and stored as recommended. No specific firefighting precautions known.
5. Wear appropriate PPE: protective gloves and, in case of splashes, goggles/face shield too.
6. Do not discharge into drains or watercourses or onto the ground.
7. Methods for cleaning up - Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely
8. Wash at the end of each work shift and before eating, smoking and using the toilet.
9. Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in closed/original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.
10. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

11. Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of waste product or used containers in accordance with local regulations All empty packaging to be returned to region and disposed of in Drum A EWC code 08 .04 .10

Documents Associated with this Risk Assessment : Styccobond-F48-Plus-iss-2-1.pdf(SDS) Styccobond-F48 Safety data sheet.pdf(Safety Data Sheet)

Review Date : 10/06/2024