

## HAZARDOUS SUBSTANCES RISK ASSESSMENT

### Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

<b>CPL - Silirub N - Silicone Sealant</b>	Date of Assessment : 06/11/2023	Reference : CPL - Silirub N - Silicone Sealant
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

<b>R or H Descriptors:</b>	<b>S or P Descriptors:</b>
<b>Additional Information</b>	
<b>Workspace Exposure Limit (WEL)</b> No WEL stated on Safety Data Sheet	

<b>Primary route(s) of entry :</b> Absorption, Ingestion, Inhalation	
<b>This is a Group Substance.</b>	<b>The quantity used per batch or work period is: Small (&lt;1kg or &lt;1l)</b>
<b>The Substance is a Liquid of Low volatility</b>	
<b>is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.</b>	

<b>Existing Control Measures</b>
1. Ventilation - ALWAYS use in a well ventilated area.
2. First-aid measures general : If you feel unwell, seek medical advice. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service.
3. First-aid measures after skin contact : Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
4. First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists.
5. First-aid measures after ingestion : Rinse mouth out with water. Get medical advice/attention if you feel unwell.
6. Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
7. Methods for cleaning up : Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling
8. Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
9. Non hazardous waste. Dispose of contents/container in accordance with licensed collector's sorting instructions Do not discharge into drains or the environment 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09 15 01 02 - plastic packaging

**Documents Associated with this Risk Assessment :** Silirub N - 61107 SDS.pdf(SDS) Silirub N - Silicone Sealant SDS.pdf(safety Data Sheet)

**Review Date :** 15/11/2024