

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL Amtico FloorCare Dressing	Date of Assessment : 19/04/2024	Reference : CPL - Amtico Floorcare Dressing
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		



R or H Descriptors:	S or P Descriptors:
	P102 Keep out of reach of children P301+312 IF SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell P305+351+338 IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing P337+313 If eye irritation persists; get medical advice/attention

Additional Information
Workspace Exposure Limit (WEL) No WEL stated on SDS

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of Medium volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Always use in a well ventilated area.
2. First aid measures: Ingestion Rinse mouth thoroughly with water. Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water.
3. First Aid cont .. Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4. Symptoms and effects, both acute and delayed: Inhalation May cause respiratory irritation. Ingestion May cause discomfort if swallowed. Skin contact May cause skin irritation. Eye contact May cause eye irritation.
5. Firefighting measures: The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.
6. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
7. Accidental release measures Avoid or minimise the creation of any environmental contamination.
8. Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
9. Handling and storage: Avoid spilling. Avoid contact with skin and eyes. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
10. PPE: Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.
11. PPE: Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.
12. PPE: Other skin and body protection Use barrier creams to prevent skin contact.
13. Hygiene measures Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.
14. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
15. Transport information The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
16. Waste Disposal: EWC 08 01 12 Empty containers to be disposed of in regions DRUM A

Documents Associated with this Risk Assessment : amtico-floorcare-dressing-msds-ad-ms.pdf(Safety Data Sheet)

Review Date : 28/04/2025